



Beihai Composite Materials Co., Ltd.

Add: Beihai Industry Park, Chonghong 280#, Jiujiang City, Jiangxi China

Mail: info@metalfoamweb.com <http://www.metalfoamweb.com>

Tel: 0086 792 8322300/22/29 Fax: 0086 792 8322312



OUR FACTORY

1960*500*100mm
 Cover And Back Boards With 1.0mm Galvanized Sheet
 Inside Fill Up With 48K Fiberglass Wool
 PET Film
 Damping And Soundproof Felt
 Surface With Louver Holes

1. Specification:

Item Name	Specification	Surface Finishing
"H" Post	125*125*3500mm	High Temperature Electrostatic Spraying
	Base 300*300*16mm	
	Top With Fold Angle	
Metal Sound Absorption Panel	1960*500*100mm	
	Cover And Back Boards With 1.0mm Galvanized Sheet	
	Inside Fill Up With 48K Fiberglass Wool	
	PET Film	
	Damping And Soundproof Felt	
	Surface With Louver Holes	

2. Features:

- 1》 Easy to install: Modular design, flexible, quick and easy installation and removal.
- 2》 High sound absorption: Especially good noise reduction effect.
- 3》 High-intensity: The structure design is based on different climate conditions and wind load. Sheet is punched on the full automatic production line to increase the intensity.
- 4》 Weather resistance: Galvanized or stainless steel noise barrier can resist to the weather, corrosion and acid.
- 5》 Durable and long life: It has various materials and different surface treatment, it is long life and durable.
- 6》 Colorful: Variety colors and shapes can be chosen.

Appliciation



Installation

1. High-speed rail (highway) standard pendant installation location.
2. High-speed rail (highway) installation fixed pendant.
3. Pendant distance 500-600MM.
4. Foamed aluminum sound absorbing panels are installed between the pendants.
5. Inlaid aluminum alloy frame to fix foamed aluminum plate.
6. Fix it on the pendant with a bolt.
7. To prevent loosening of the shackle, install a strong cap.



Package&Shipment:

1. Packing is PE film.
2. 100% test before delivering goods .
3. Tracking number will be sent to you as soon as we ship the products .
4. Our sales team is able to arrange the shipment that you need for you .
5. Express delivery, Air transportation or Ocean shipping are acceptable according to the demand .
6. Item shipped in about 30 working days against payment depends on the quantity .



Contact Us:

Tel: +86 792 8322300/8322322/8322329

Cell: +86 13923881139

Fax: +86 792 8322312

website: <http://www.chinabeihai.net>

Online contacts: Whatsapp & wechat: +86-13923881139

FAQ:

1.MOQ: 100m².

2.Delivery time: around 20 days after confirm order.

3.Payment term: T/T 50% deposit in advance, 50% balance before shipment date.