



Beihai Composite Materials Co., Ltd.

Add: Beihai Industry Park, Chonghong 280#, Jiujiang City, Jiangxi China

Mail: info@metalfoamweb.com <http://www.metalfoamweb.com>



Tel: 0086 792 8322300/22/29 Fax: 0086 792 8322312





Production Description & Features:

Open-cell aluminum foam refers to aluminum foam with interconnected internal pores, with a pore size of 0.5-1.0mm, a porosity of 70-90%, and a porosity of 55-65%. Due to its metal characteristics and porous structure, through-hole aluminum foam has excellent sound absorption and fire resistance, and is dust-proof, environment-friendly and waterproof, and can be used as a noise reduction material for a long time under complex working conditions. Noise reduction coefficient $NRC > 0.75$, fire protection grade A1, and through-hole foamed aluminum with different flow resistance and through-hole aperture (through-hole ratio) can be customized.





Production Process:



PROCESSING



Application:



**MODULAR
INTEGRATED
HOUSING**



NOISE REDUCTION




Soundproof room



Soundproof Wall

Workshop



Packing Details:



1



2



3



4



5



6



**Contact Us:**

Tel: +86 792 8322300/8322322/8322329

Cell: +86 13923881139

Fax: +86 792 8322312

Online contacts: Whatsapp & wechat: +86-13923881139

FAQ:

1.MOQ: 100m²

2.Delivery time: around 20days after confirm order.

3.Payment term: T/T 30% deposit in advance, 70% balance before shipment date.